

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	-	-	3	25.1	20.3 - 30.6	176	27.5	21.2 - 34.9	124	25.8	21.9 - 30.1	303
b. Nutrition	-	-	3	22.6	17.8 - 28.4	177	28.7	22.6 - 35.7	125	24.9	21.0 - 29.2	305
c. Tobacco-use prevention	-	-	3	30.6	25.4 - 36.3	177	30.2	23.9 - 37.3	125	30.1	26.1 - 34.5	305
d. Asthma	-	-	3	11.3	7.7 - 16.3	177	12.8	8.3 - 19.1	125	11.8	8.9 - 15.5	305
e. Injury and violence prevention	-	-	3	24.9	20.1 - 30.3	177	25.0	19.3 - 31.7	124	24.7	21.0 - 28.8	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	-	-	3	12.7	9.1 - 17.3	175	22.2	16.4 - 29.4	121	17.0	13.7 - 20.9	299
b. Physical education and physical activity	-	-	3	15.8	11.7 - 21.0	177	20.6	14.8 - 27.9	122	18.3	14.7 - 22.4	302
c. Nutrition services and foods and beverages available at school	-	-	3	13.1	9.3 - 18.0	177	16.3	11.1 - 23.3	122	14.6	11.3 - 18.5	302
d. Health services	-	-	3	11.4	7.8 - 16.4	177	17.2	12.5 - 23.0	122	14.2	11.2 - 17.9	302
e. Mental health and social services	-	-	3	9.9	6.7 - 14.3	174	22.9	17.2 - 29.8	122	15.7	12.6 - 19.4	299
f. Healthy and safe school environment	-	-	3	43.7	37.9 - 49.7	176	47.6	39.6 - 55.7	122	45.5	40.7 - 50.3	301
g. Family and community involvement	-	-	3	55.0	49.0 - 60.9	176	51.3	43.8 - 58.6	123	53.6	48.9 - 58.2	302
h. Faculty and staff health promotion	-	-	3	9.2	6.2 - 13.5	176	20.3	15.1 - 26.8	123	14.2	11.3 - 17.8	302

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Number of minutes of physical education required in each grade	-	-	3	61.7	55.2 - 67.8	178	32.9	26.4 - 40.2	125	50.5	45.8 - 55.1	306
b. Rates of student participation in school meal programs	-	-	3	81.8	76.5 - 86.2	178	61.7	54.2 - 68.6	125	73.9	69.6 - 77.7	306
c. Revenue from sale of foods and beverages from school-sponsored fundraisers, vending machines, school stores, or a la carte lines in the school cafeteria	-	-	3	58.6	52.0 - 64.9	177	43.6	36.2 - 51.3	126	52.9	48.0 - 57.7	306
d. Number of minutes of physical activity outside of physical education (e.g., classroom physical activity breaks, free time physical activity, or recess)	-	-	3	44.4	37.8 - 51.1	178	20.7	15.6 - 26.9	126	34.7	30.3 - 39.4	307

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	76.4	70.9 - 81.1	173	71.2	64.0 - 77.5	126	74.5	70.2 - 78.3	302

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	44.1	37.9 - 50.5	177	35.8	28.8 - 43.5	125	41.3	36.6 - 46.2	305

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	-	-	3	86.8	78.9 - 92.1	75	82.4	70.0 - 90.4	45	85.5	79.3 - 90.1	123
b. Health education teachers	-	-	3	60.3	50.9 - 68.9	75	75.7	63.5 - 84.8	45	66.0	58.6 - 72.6	123
c. Physical education teachers	-	-	3	76.2	66.7 - 83.7	75	71.3	58.3 - 81.6	45	75.0	67.7 - 81.2	123
d. Mental health or social services staff	-	-	3	45.1	36.0 - 54.6	75	42.3	31.5 - 54.0	45	44.6	37.6 - 51.9	123
e. Nutrition or food service staff	-	-	3	42.8	33.3 - 52.7	75	46.4	34.8 - 58.4	45	43.0	35.8 - 50.6	123
f. Health services staff (e.g., school nurse)	-	-	3	54.5	44.6 - 64.1	75	44.6	32.6 - 57.3	45	50.4	42.7 - 58.1	123
g. Maintenance and transportation staff	-	-	3	20.0	13.2 - 29.2	75	15.5	8.3 - 27.0	45	19.5	14.1 - 26.3	123
h. Technology staff	-	-	3	21.7	14.7 - 31.0	74	22.3	13.6 - 34.5	45	23.1	17.3 - 30.1	122
i. Library/media center staff	-	-	3	22.8	16.0 - 31.4	75	9.0	3.9 - 19.2	45	18.9	13.9 - 25.2	123
j. Student body	-	-	3	32.1	23.7 - 42.0	75	49.2	36.9 - 61.6	45	39.1	31.9 - 46.8	123
k. Parents or families of students	-	-	3	56.3	46.0 - 66.0	75	55.9	43.4 - 67.7	45	56.4	48.5 - 64.0	123
l. Community members	-	-	3	40.0	30.6 - 50.2	75	40.1	29.1 - 52.2	45	40.7	33.4 - 48.4	123

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Local health departments, agencies, or organizations	-	-	3	25.4	17.5 - 35.5	75	33.6	22.5 - 46.9	45	27.7	21.2 - 35.4	123
n. Faith-based organizations	-	-	3	9.4	5.0 - 16.8	75	2.1	0.4 - 10.4	45	6.5	3.7 - 11.4	123
o. Businesses	-	-	3	9.4	5.1 - 16.9	75	15.6	8.4 - 27.2	45	12.2	8.0 - 18.2	123
p. Local government agencies	-	-	3	14.8	9.1 - 23.2	75	11.3	5.2 - 22.6	45	14.8	10.1 - 21.1	123

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	-	-	3	19.3	14.6 - 25.0	177	23.8	18.4 - 30.2	126	21.3	17.6 - 25.4	306
b. Youth who participate in drop-out prevention, alternative education, or GED programs	-	-	3	13.6	9.9 - 18.4	177	27.8	21.9 - 34.6	126	19.6	16.2 - 23.4	306

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	13.1	9.7 - 17.6	176	38.2	32.6 - 44.1	124	24.1	21.0 - 27.5	303

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to LGBTQ youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify “safe spaces” (e.g., a counselor’s office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	-	-	3	43.6	37.2 - 50.2	176	54.0	46.7 - 61.2	124	48.0	43.2 - 52.9	303
b. Prohibit harassment based on a student’s perceived or actual sexual orientation or gender identity	-	-	3	78.3	72.8 - 82.9	176	87.3	81.0 - 91.7	125	82.1	78.2 - 85.5	304
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	-	-	3	35.9	29.8 - 42.4	176	56.6	49.8 - 63.2	124	44.6	40.0 - 49.2	303
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	-	-	3	29.4	24.3 - 35.1	173	48.9	40.9 - 56.9	125	37.8	33.3 - 42.4	301
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	-	-	3	32.3	26.8 - 38.3	173	50.9	43.4 - 58.2	124	39.9	35.4 - 44.5	300

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	-	-	3	60.4	54.5 - 66.0	175	56.1	48.9 - 63.1	125	58.4	53.8 - 62.8	303
b. Procedures to protect HIV-infected students and staff from discrimination	-	-	3	67.1	61.0 - 72.6	174	63.7	56.5 - 70.3	124	65.7	61.1 - 70.0	301
c. Maintaining confidentiality of HIV-infected students and staff	-	-	3	74.7	69.1 - 79.5	175	68.8	61.8 - 75.1	125	72.2	67.9 - 76.2	303
d. Worksite safety (i.e., universal precautions for all school staff)	-	-	3	80.6	75.0 - 85.1	176	79.2	72.6 - 84.6	125	80.2	76.1 - 83.7	304
e. Confidential counseling for HIV-infected students	-	-	2	50.7	45.0 - 56.3	175	56.1	48.1 - 63.8	123	52.9	48.2 - 57.5	300
f. Communication of the policy to students, school staff, and parents	-	-	3	56.2	49.9 - 62.2	176	58.5	51.1 - 65.6	123	56.5	51.8 - 61.1	302
g. Adequate training about HIV infection for school staff	-	-	3	64.0	58.6 - 69.1	176	61.7	54.5 - 68.5	125	62.5	58.1 - 66.6	304
h. Procedures for implementing the policy	-	-	3	59.2	53.1 - 65.0	175	59.8	52.8 - 66.3	124	59.2	54.6 - 63.5	302

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have or participate in each of the following programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. A student mentoring program	-	-	3	57.9	51.2 - 64.2	178	61.3	54.2 - 67.9	124	59.7	54.8 - 64.3	305
b. A safe-passages to school program	-	-	3	32.5	27.2 - 38.4	178	20.1	14.5 - 27.1	124	27.2	23.3 - 31.6	305
c. A program to prevent bullying	-	-	3	91.0	86.8 - 93.9	178	62.1	54.0 - 69.7	125	79.4	75.4 - 83.0	306
d. A program to prevent dating violence	-	-	3	23.0	18.5 - 28.2	178	34.3	27.6 - 41.8	125	28.3	24.4 - 32.5	306
e. A youth development program	-	-	3	45.9	39.4 - 52.6	176	45.5	38.8 - 52.4	125	46.0	41.2 - 50.8	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes	-	-	3	39.2	33.3 - 45.4	176	47.6	40.6 - 54.7	124	42.8	38.3 - 47.5	303
b. No	-	-	3	38.7	32.5 - 45.3	176	34.7	27.9 - 42.1	124	37.0	32.4 - 41.9	303
c. Not applicable	-	-	3	22.2	17.6 - 27.5	176	17.7	13.3 - 23.4	124	20.2	16.9 - 23.9	303

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	87.7	83.2 - 91.2	178	63.3	56.5 - 69.5	125	78.0	74.3 - 81.3	306

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	85.7	80.7 - 89.7	160	28.2	20.0 - 38.1	71	68.4	63.9 - 72.6	231
b. Seventh grade	§	§	§	82.2	76.9 - 86.5	173	33.3	24.8 - 42.9	75	67.7	63.1 - 72.0	248
c. Eighth grade	§	§	§	78.2	72.6 - 82.9	173	33.3	24.8 - 42.9	75	64.9	60.1 - 69.3	248
d. Ninth grade	-	-	3	34.6	24.2 - 46.7	38	56.9	49.9 - 63.7	120	52.4	46.4 - 58.3	161
e. Tenth grade	-	-	3	§	§	§	34.5	27.8 - 41.9	122	35.3	28.6 - 42.7	125
f. Eleventh grade	-	-	3	§	§	§	32.1	26.0 - 38.9	122	33.0	26.9 - 39.7	125
g. Twelfth grade	-	-	3	§	§	§	31.3	25.1 - 38.3	122	32.2	26.0 - 39.1	125

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Enrollment in other courses (e.g., math or science)	-	-	3	29.8	24.7 - 35.4	156	34.3	26.1 - 43.5	78	32.1	27.7 - 36.8	237
b. Participation in school sports	-	-	3	8.9	5.9 - 13.3	155	26.8	20.2 - 34.6	78	15.1	11.9 - 18.9	236
c. Participation in other school activities (e.g., ROTC, band, or chorus)	-	-	3	24.2	19.4 - 29.7	155	33.4	25.1 - 42.8	78	27.3	23.0 - 32.0	236
d. Participation in community sports activities	-	-	3	7.0	4.2 - 11.5	155	15.3	9.9 - 23.0	78	9.6	6.9 - 13.3	236
e. Religious reasons	-	-	3	58.0	51.4 - 64.3	155	48.5	40.0 - 57.2	78	54.6	49.4 - 59.7	236
f. Long-term physical or medical disability	-	-	3	86.5	80.8 - 90.7	156	84.6	77.7 - 89.7	78	86.1	81.8 - 89.4	237
g. Cognitive disability	-	-	3	47.1	40.4 - 54.0	155	48.5	39.2 - 58.0	78	47.4	41.9 - 52.9	236
h. High physical fitness competency test score	-	-	3	3.9	2.0 - 7.5	155	6.3	3.0 - 12.9	78	4.6	2.8 - 7.6	236
i. Participation in vocational training	-	-	3	5.8	3.3 - 9.9	155	8.8	4.6 - 16.0	78	6.7	4.4 - 10.0	236
j. Participation in community service activities	-	-	3	5.2	2.8 - 9.2	155	7.6	3.8 - 14.5	78	5.9	3.8 - 9.1	236

*Among those schools that require physical education for students in any of grades 6 through 12.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	73.5	67.9 - 78.4	175	56.2	49.6 - 62.7	125	66.7	62.5 - 70.7	303

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	-	-	3	94.9	91.1 - 97.1	177	76.0	69.7 - 81.4	125	87.3	84.1 - 89.9	305
b. A chart describing the annual scope and sequence of instruction for physical education	-	-	3	71.4	65.7 - 76.4	176	53.7	46.7 - 60.5	125	64.5	60.2 - 68.6	304
c. Plans for how to assess student performance in physical education	-	-	3	75.6	70.0 - 80.5	177	59.8	52.4 - 66.8	124	69.5	65.1 - 73.6	304
d. A written physical education curriculum	-	-	3	75.0	68.9 - 80.2	177	60.1	52.8 - 67.0	125	69.2	64.7 - 73.5	305

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	75.5	70.6 - 79.9	176	66.4	58.8 - 73.3	122	72.1	68.0 - 76.0	301

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	70.5	64.5 - 75.8	177	59.3	52.9 - 65.4	123	66.3	62.0 - 70.3	303

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	93.8	89.8 - 96.3	177	97.6	93.9 - 99.1	126	95.4	92.8 - 97.1	306

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	-	-	3	92.0	88.4 - 94.5	176	96.0	91.7 - 98.1	125	93.7	91.2 - 95.5	304
b. Smokeless Tobacco	-	-	3	91.4	87.7 - 94.1	176	96.0	91.7 - 98.1	125	93.4	90.8 - 95.3	304
c. Cigars	-	-	3	89.7	85.6 - 92.8	176	96.0	91.7 - 98.1	125	92.4	89.6 - 94.5	304
d. Pipes	-	-	3	88.6	84.2 - 91.9	176	96.0	91.7 - 98.1	125	91.7	88.8 - 93.9	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	-	-	3	90.8	86.9 - 93.6	175	93.6	88.6 - 96.5	124	92.0	89.2 - 94.2	302
b. Smokeless Tobacco	-	-	3	90.2	86.1 - 93.2	174	93.6	88.6 - 96.5	124	91.7	88.8 - 93.9	301
c. Cigars	-	-	3	88.4	84.0 - 91.8	174	93.6	88.6 - 96.5	124	90.6	87.5 - 93.0	301
d. Pipes	-	-	3	87.3	82.6 - 90.8	174	93.6	88.6 - 96.5	124	90.0	86.8 - 92.5	301

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	-	-	3	89.1	84.8 - 92.3	175	94.4	89.6 - 97.0	124	91.3	88.4 - 93.6	302
b. Smokeless Tobacco	-	-	3	87.3	82.7 - 90.8	174	94.4	89.6 - 97.0	123	90.3	87.1 - 92.7	300
c. Cigars	-	-	3	87.3	82.6 - 90.8	174	94.3	89.5 - 97.0	122	90.2	87.1 - 92.7	299
d. Pipes	-	-	3	86.1	81.2 - 89.9	174	94.4	89.6 - 97.0	123	89.6	86.3 - 92.1	300

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	-	-	3	92.6	88.7 - 95.2	176	97.6	93.8 - 99.1	125	94.7	92.2 - 96.4	304
b. During non-school hours	-	-	3	83.6	78.5 - 87.7	172	78.3	71.6 - 83.7	124	81.6	77.7 - 84.9	299

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	-	-	3	92.0	88.1 - 94.8	176	95.1	90.5 - 97.6	125	93.4	90.6 - 95.4	304
b. During non-school hours	-	-	3	76.6	71.2 - 81.2	172	71.0	64.4 - 76.9	124	74.5	70.5 - 78.2	299

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	-	-	3	89.7	85.2 - 92.9	175	94.4	89.7 - 97.1	125	91.7	88.7 - 94.0	303
b. During non-school hours	-	-	3	76.0	70.6 - 80.7	172	72.5	65.7 - 78.3	123	74.8	70.7 - 78.5	298

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	-	-	3	92.6	88.7 - 95.2	176	97.6	93.8 - 99.1	125	94.7	92.2 - 96.4	304
b. Outside on school grounds, including parking lots and playing fields	-	-	3	92.6	88.7 - 95.2	176	97.6	93.8 - 99.1	125	94.7	92.2 - 96.4	304
c. On school buses or other vehicles used to transport students	-	-	3	92.6	88.7 - 95.2	176	97.6	93.8 - 99.1	125	94.7	92.2 - 96.4	304
d. At off-campus, school-sponsored events	-	-	3	90.3	85.9 - 93.4	176	96.8	92.7 - 98.6	125	93.0	90.2 - 95.1	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	-	-	3	92.6	88.7 - 95.2	176	97.6	93.8 - 99.1	125	94.7	92.2 - 96.4	304
b. Outside on school grounds, including parking lots and playing fields	-	-	3	91.3	87.5 - 94.0	174	96.0	91.7 - 98.1	125	93.3	90.7 - 95.2	302
c. On school buses or other vehicles used to transport students	-	-	3	91.9	87.9 - 94.7	174	97.6	93.8 - 99.1	125	94.3	91.7 - 96.1	302
d. At off-campus, school-sponsored events	-	-	3	87.9	83.0 - 91.5	174	92.1	87.4 - 95.1	125	89.7	86.5 - 92.2	302

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	-	-	3	92.0	87.9 - 94.7	175	97.6	93.7 - 99.1	123	94.3	91.7 - 96.1	301
b. Outside on school grounds, including parking lots and playing fields	-	-	3	90.8	86.8 - 93.6	174	96.0	91.6 - 98.1	123	93.0	90.3 - 94.9	300
c. On school buses or other vehicles used to transport students	-	-	3	91.9	87.9 - 94.7	174	97.5	93.7 - 99.1	122	94.3	91.6 - 96.1	299
d. At off-campus, school-sponsored events	-	-	3	73.4	67.4 - 78.6	173	82.2	75.8 - 87.2	124	77.2	73.0 - 81.0	300

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	56.6	50.4 - 62.6	169	58.4	50.5 - 65.8	122	57.8	53.0 - 62.5	294

*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	-	-	3	97.5	94.4 - 98.9	164	96.7	92.7 - 98.6	121	97.2	95.1 - 98.5	288
b. Faculty and staff	-	-	3	96.9	93.6 - 98.6	164	93.4	88.4 - 96.4	121	95.5	92.9 - 97.2	288
c. Visitors	-	-	3	91.8	87.6 - 94.7	158	90.4	85.0 - 93.9	115	91.3	88.2 - 93.6	276

*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	93.9	89.8 - 96.4	165	99.2	95.6 - 99.8	122	96.2	93.7 - 97.7	290

*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	-	-	3	44.7	38.1 - 51.5	152	44.4	37.3 - 51.7	113	44.4	39.6 - 49.4	268
b. Principal	-	-	3	39.6	33.6 - 46.0	152	35.1	28.9 - 41.8	113	37.7	33.3 - 42.3	268
c. Assistant principal	-	-	3	11.0	7.5 - 16.0	152	16.2	12.0 - 21.4	113	13.4	10.5 - 16.9	268
d. Other school administrator	-	-	3	0.0	†	152	2.6	1.0 - 6.8	113	1.1	0.4 - 2.9	268
e. Other school faculty or staff member	-	-	3	4.6	2.4 - 8.6	152	1.7	0.5 - 5.5	113	3.4	1.9 - 5.8	268

*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Zero tolerance	-	-	3	82.4	77.2 - 86.7	177	79.5	73.0 - 84.9	123	81.4	77.5 - 84.8	303
b. Effect or severity of the violation	-	-	3	80.4	74.6 - 85.2	173	62.9	54.3 - 70.7	119	73.3	68.5 - 77.6	295
c. Grade level of student	-	-	3	62.0	55.7 - 68.0	173	23.7	17.6 - 31.0	118	46.5	42.0 - 51.1	294
d. Repeat offender status	-	-	3	84.3	79.1 - 88.5	173	79.3	71.9 - 85.1	120	82.1	78.0 - 85.7	296

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	-	-	3	0.0	†	173	0.8	0.2 - 4.3	125	0.3	0.1 - 1.8	301
b. Referred to a school counselor	-	-	3	18.3	13.9 - 23.8	171	25.0	19.0 - 32.0	124	20.9	17.2 - 25.0	298
c. Referred to a school administrator	-	-	3	0.0	†	172	0.0	†	125	0.0	†	300
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	-	-	3	20.3	15.3 - 26.3	169	26.4	19.7 - 34.5	125	23.3	19.1 - 28.1	297
e. Required to participate in an assistance, education, or cessation program	-	-	3	37.1	31.5 - 43.0	168	46.2	39.5 - 53.1	125	40.8	36.5 - 45.3	296
f. Referred to legal authorities	-	-	3	27.6	21.9 - 34.0	171	25.5	19.1 - 33.1	125	26.4	22.1 - 31.2	299
g. Placed in detention	-	-	3	19.9	14.9 - 26.0	171	31.4	24.7 - 39.1	124	24.8	20.6 - 29.4	298
h. Not allowed to participate in extra-curricular activities or interscholastic sports	-	-	3	15.5	11.4 - 20.6	169	26.9	20.5 - 34.6	123	20.4	16.7 - 24.6	295
i. Given in-school suspension	-	-	3	11.6	8.1 - 16.4	172	31.0	24.6 - 38.3	125	20.2	16.7 - 24.2	300
j. Suspended from school	-	-	3	3.6	1.8 - 7.1	168	6.4	3.5 - 11.3	124	4.7	3.0 - 7.3	295
k. Expelled from school	-	-	3	53.1	46.7 - 59.3	169	56.9	48.9 - 64.5	125	54.5	49.5 - 59.3	297
l. Reassigned to an alternative school	-	-	3	53.8	47.4 - 60.2	171	68.0	60.7 - 74.5	123	59.7	54.9 - 64.4	297

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	-	-	3	0.0	†	173	0.0	†	125	0.0	†	301
b. Referred to a school counselor	-	-	3	7.6	4.8 - 12.0	171	16.2	11.7 - 22.0	124	11.1	8.5 - 14.3	298
c. Referred to a school administrator	-	-	3	0.0	†	172	0.8	0.2 - 4.3	125	0.3	0.1 - 1.8	300
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	-	-	3	24.8	19.6 - 30.8	169	18.2	13.1 - 24.6	125	21.8	18.1 - 26.0	297
e. Required to participate in an assistance, education, or cessation program	-	-	3	24.9	20.0 - 30.7	168	25.6	19.4 - 33.0	125	25.0	21.0 - 29.4	296
f. Referred to legal authorities	-	-	3	19.8	15.3 - 25.2	171	25.7	19.2 - 33.3	125	22.4	18.5 - 26.8	299
g. Placed in detention	-	-	3	10.0	6.6 - 14.8	171	12.2	8.1 - 18.0	124	10.8	8.1 - 14.3	298
h. Not allowed to participate in extra-curricular activities or interscholastic sports	-	-	3	6.5	3.9 - 10.7	169	9.8	7.0 - 13.6	123	7.8	5.8 - 10.5	295
i. Given in-school suspension	-	-	3	7.7	5.0 - 11.6	172	14.5	9.7 - 21.1	125	10.4	7.8 - 13.8	300
j. Suspended from school	-	-	3	8.3	5.3 - 12.9	168	13.0	8.5 - 19.4	124	10.2	7.5 - 13.7	295
k. Expelled from school	-	-	3	27.9	22.6 - 33.8	169	23.1	17.3 - 30.2	125	26.3	22.3 - 30.7	297
l. Reassigned to an alternative school	-	-	3	24.5	19.3 - 30.6	171	20.6	14.7 - 28.2	123	23.0	19.0 - 27.6	297

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	-	-	3	1.2	0.4 - 3.8	173	5.7	3.8 - 8.5	125	3.0	2.0 - 4.5	301
b. Referred to a school counselor	-	-	3	42.4	36.8 - 48.3	171	29.1	23.4 - 35.5	124	36.9	32.7 - 41.2	298
c. Referred to a school administrator	-	-	3	1.7	0.7 - 4.5	172	3.2	1.4 - 7.3	125	2.3	1.2 - 4.4	300
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	-	-	3	27.8	22.3 - 34.2	169	39.3	31.9 - 47.2	125	32.3	27.8 - 37.2	297
e. Required to participate in an assistance, education, or cessation program	-	-	3	27.2	21.8 - 33.5	168	17.7	13.2 - 23.2	125	23.3	19.6 - 27.5	296
f. Referred to legal authorities	-	-	3	32.2	26.7 - 38.2	171	32.0	24.9 - 40.0	125	32.1	27.7 - 36.9	299
g. Placed in detention	-	-	3	34.5	28.7 - 40.8	171	35.5	28.5 - 43.1	124	34.5	30.1 - 39.3	298
h. Not allowed to participate in extra-curricular activities or interscholastic sports	-	-	3	40.7	34.8 - 47.0	169	33.9	27.2 - 41.4	123	37.5	33.0 - 42.2	295
i. Given in-school suspension	-	-	3	51.6	45.3 - 57.7	172	43.2	35.6 - 51.1	125	47.9	43.1 - 52.8	300
j. Suspended from school	-	-	3	48.7	42.2 - 55.2	168	46.8	39.6 - 54.1	124	47.7	42.9 - 52.6	295
k. Expelled from school	-	-	3	14.9	10.8 - 20.2	169	15.2	10.4 - 21.6	125	14.8	11.6 - 18.7	297
l. Reassigned to an alternative school	-	-	3	18.7	14.4 - 23.9	171	8.2	4.8 - 13.6	123	14.2	11.2 - 17.8	297

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	-	-	3	98.8	96.2 - 99.6	173	93.5	90.2 - 95.7	125	96.7	95.0 - 97.8	301
b. Referred to a school counselor	-	-	3	31.6	26.1 - 37.7	171	29.8	24.1 - 36.1	124	31.2	27.2 - 35.6	298
c. Referred to a school administrator	-	-	3	98.3	95.5 - 99.3	172	96.0	91.6 - 98.1	125	97.3	95.2 - 98.5	300
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	-	-	3	27.1	21.8 - 33.2	169	16.1	11.0 - 23.0	125	22.6	18.7 - 27.0	297
e. Required to participate in an assistance, education, or cessation program	-	-	3	10.8	7.4 - 15.4	168	10.5	6.8 - 15.9	125	10.9	8.3 - 14.3	296
f. Referred to legal authorities	-	-	3	20.4	15.6 - 26.2	171	16.9	11.9 - 23.5	125	19.1	15.5 - 23.3	299
g. Placed in detention	-	-	3	35.6	29.6 - 42.2	171	20.9	15.1 - 28.3	124	29.9	25.5 - 34.7	298
h. Not allowed to participate in extra-curricular activities or interscholastic sports	-	-	3	37.3	31.3 - 43.8	169	29.3	22.8 - 36.9	123	34.3	29.8 - 39.1	295
i. Given in-school suspension	-	-	3	29.1	23.8 - 35.1	172	11.3	7.4 - 16.9	125	21.5	18.0 - 25.5	300
j. Suspended from school	-	-	3	39.4	33.3 - 45.8	168	33.9	26.7 - 41.9	124	37.4	32.7 - 42.4	295
k. Expelled from school	-	-	3	4.2	2.2 - 7.7	169	4.8	2.4 - 9.3	125	4.4	2.8 - 6.9	297
l. Reassigned to an alternative school	-	-	3	3.0	1.4 - 6.2	171	3.2	1.4 - 7.4	123	3.1	1.7 - 5.3	297

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	87.3	82.4 - 91.0	175	90.3	85.1 - 93.8	125	88.3	84.9 - 91.1	303

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that did the following activities during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts	-	-	3	49.6	43.5 - 55.6	178	45.7	37.9 - 53.6	124	47.9	43.1 - 52.7	305
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use	-	-	3	51.9	45.4 - 58.4	177	46.6	39.0 - 54.4	124	49.9	45.0 - 54.9	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	-	-	3	12.3	8.7 - 17.1	178	11.3	7.2 - 17.4	124	11.8	9.0 - 15.3	305
b. Students	-	-	3	12.9	9.3 - 17.6	178	23.3	17.6 - 30.3	124	17.0	13.7 - 20.8	305

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	-	-	3	21.2	16.7 - 26.5	178	21.9	16.4 - 28.7	124	21.3	17.7 - 25.3	305
b. Students	-	-	3	21.9	17.4 - 27.1	178	27.7	21.0 - 35.5	123	24.3	20.4 - 28.7	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	-	-	3	3.4	1.7 - 6.6	176	5.5	2.9 - 10.3	125	4.2	2.7 - 6.7	304
b. Never	-	-	3	0.6	0.1 - 3.0	176	2.4	0.9 - 6.2	125	1.3	0.6 - 3.0	304
c. Rarely	-	-	3	11.3	7.9 - 15.9	176	6.5	3.9 - 10.7	125	9.2	6.9 - 12.3	304
d. Sometimes	-	-	3	43.7	37.7 - 49.8	176	43.3	36.7 - 50.1	125	43.1	38.7 - 47.6	304
e. Always or almost always	-	-	3	41.1	35.2 - 47.2	176	42.3	35.5 - 49.3	125	42.2	37.7 - 46.7	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	34.4	28.8 - 40.3	176	76.0	69.6 - 81.5	125	51.6	47.4 - 55.8	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	-	-	3	6.3	3.8 - 10.3	176	33.7	27.4 - 40.5	125	17.3	14.3 - 20.8	304
b. Other kinds of candy	-	-	3	7.4	4.6 - 11.6	176	40.1	33.3 - 47.4	125	20.6	17.3 - 24.3	304
c. Salty snacks that are not low in fat (e.g., regular potato chips)	-	-	3	10.8	7.3 - 15.7	176	47.3	39.9 - 54.9	125	25.8	22.1 - 30.0	304
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	-	-	3	10.8	7.5 - 15.4	176	45.2	37.6 - 53.0	124	24.9	21.2 - 29.0	303
e. Ice cream or frozen yogurt that is not low in fat	-	-	3	8.4	5.6 - 12.5	176	25.8	20.1 - 32.5	125	15.7	12.7 - 19.3	304
f. 2% or whole milk (plain or flavored)	-	-	3	15.2	11.2 - 20.3	176	37.1	30.9 - 43.8	125	24.3	20.7 - 28.2	304
g. Water ices or frozen slushes that do not contain juice	-	-	3	7.8	5.2 - 11.8	176	11.3	7.4 - 16.9	125	9.5	7.1 - 12.6	304
h. Soda pop or fruit drinks that are not 100% juice	-	-	3	9.1	6.1 - 13.4	176	43.2	36.4 - 50.3	125	22.8	19.5 - 26.6	304
i. Sports drinks (e.g., Gatorade)	-	-	3	19.2	14.7 - 24.7	176	57.8	51.0 - 64.3	125	35.3	31.4 - 39.4	304
j. Foods or beverages containing caffeine	-	-	3	6.3	3.8 - 10.3	176	38.1	31.1 - 45.6	123	19.3	16.1 - 23.1	302
k. Fruits (not fruit juice)	-	-	3	15.2	11.3 - 20.0	176	33.9	27.5 - 41.0	125	23.3	19.7 - 27.3	304
l. Non-fried vegetables (not vegetable juice)	-	-	3	9.5	6.6 - 13.5	176	23.4	17.4 - 30.7	125	15.7	12.6 - 19.4	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	28.8	23.5 - 34.7	176	39.4	32.7 - 46.5	125	33.4	29.2 - 37.9	304

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have done any of the following activities during this school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	-	-	3	6.9	4.2 - 11.0	175	7.3	4.2 - 12.6	125	7.7	5.4 - 10.7	303
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	-	-	3	38.4	32.2 - 45.0	175	45.7	38.8 - 52.7	125	41.9	37.3 - 46.7	303
c. Provided information to students or families on the nutrition and caloric content of foods available	-	-	3	42.9	37.8 - 48.2	175	34.6	28.0 - 41.8	125	39.4	35.3 - 43.7	303
d. Conducted taste tests to determine food preferences for nutritious items	-	-	3	23.4	19.0 - 28.4	175	20.2	14.9 - 26.8	123	21.9	18.4 - 25.8	301
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	-	-	3	23.5	18.3 - 29.6	175	24.1	18.2 - 31.3	124	23.8	19.8 - 28.4	302

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	2.3	1.0 - 5.2	174	2.4	0.9 - 6.2	124	2.3	1.2 - 4.3	301

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	-	-	3	78.7	73.3 - 83.3	178	68.9	61.9 - 75.2	125	75.0	70.8 - 78.7	306
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	-	-	3	75.8	70.0 - 80.8	177	60.8	53.7 - 67.4	125	70.0	65.6 - 74.0	305
c. On school buses or other vehicles used to transport students	-	-	3	79.9	74.2 - 84.6	174	69.7	62.8 - 75.8	125	75.9	71.7 - 79.7	302
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	-	-	3	74.6	68.9 - 79.6	177	63.3	56.4 - 69.7	125	70.3	66.0 - 74.3	305

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	45.2	39.4 - 51.3	178	36.7	31.4 - 42.4	126	41.3	37.3 - 45.6	307

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school has no students with known asthma.	-	-	3	1.2	0.4 - 3.7	175	13.9	10.0 - 19.0	124	6.3	4.6 - 8.6	302
b. All students with known asthma have an asthma action plan on file.	-	-	3	51.9	45.5 - 58.3	175	34.5	27.7 - 42.1	124	44.7	39.9 - 49.5	302
c. Most students with known asthma have an asthma action plan on file.	-	-	3	18.9	14.4 - 24.3	175	23.4	17.4 - 30.8	124	20.9	17.1 - 25.2	302
d. Some students with known asthma have an asthma action plan on file.	-	-	3	17.1	12.7 - 22.7	175	11.5	7.5 - 17.1	124	14.7	11.5 - 18.5	302
e. No students with known asthma have an asthma action plan on file.	-	-	3	10.9	7.4 - 15.8	175	16.7	12.2 - 22.5	124	13.5	10.6 - 17.1	302

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not identify students with poorly controlled asthma.	-	-	3	14.0	10.0 - 19.2	173	27.4	21.8 - 33.7	124	19.6	16.2 - 23.5	300
b. Frequent absences from school	-	-	3	40.2	33.9 - 46.8	176	38.4	31.7 - 45.6	125	39.7	35.1 - 44.5	304
c. Frequent visits to the school health office due to asthma	-	-	3	71.0	65.3 - 76.1	174	46.6	40.6 - 52.7	125	61.0	56.9 - 65.0	302
d. Frequent asthma symptoms at school	-	-	3	60.5	53.6 - 67.0	175	50.5	43.5 - 57.6	125	56.5	51.5 - 61.3	303
e. Frequent non-participation in physical education class due to asthma	-	-	3	46.1	39.9 - 52.5	175	28.8	23.0 - 35.3	125	39.3	34.9 - 43.8	303
f. Students sent home early due to asthma	-	-	3	43.9	38.2 - 49.7	175	33.2	27.7 - 39.3	124	39.8	35.7 - 44.0	302
g. Calls from school to 911, or other local emergency numbers, due to asthma	-	-	3	31.1	25.1 - 37.8	176	19.1	14.6 - 24.6	126	26.2	22.2 - 30.7	305

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Providing referrals to primary healthcare clinicians or child health insurance programs	-	-	3	57.5	50.7 - 64.1	175	44.8	38.1 - 51.7	123	52.5	47.6 - 57.3	301
b. Ensuring an appropriate written asthma action plan is obtained	-	-	3	67.8	61.5 - 73.6	175	59.4	53.1 - 65.5	123	64.1	59.6 - 68.4	301
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	-	-	3	83.9	78.3 - 88.3	175	62.0	55.6 - 67.9	123	75.2	71.2 - 78.9	301
d. Offering asthma education for students with asthma	-	-	3	35.9	30.3 - 42.0	175	31.2	24.8 - 38.4	123	34.0	29.7 - 38.6	301
e. Minimizing asthma triggers in the school environment	-	-	3	67.4	60.7 - 73.3	175	53.4	46.7 - 60.0	122	62.1	57.4 - 66.6	300
f. Addressing social and emotional issues related to asthma	-	-	3	47.3	41.2 - 53.5	175	30.2	24.2 - 37.1	123	40.3	35.9 - 44.9	301
g. Providing additional psychosocial counseling or support services as needed	-	-	3	35.9	30.1 - 42.2	175	32.8	26.4 - 39.9	123	35.0	30.6 - 39.6	301
h. Ensuring access to safe, enjoyable physical education and activity opportunities	-	-	3	83.4	78.0 - 87.7	175	68.9	63.0 - 74.3	122	77.8	73.9 - 81.2	300
i. Ensuring access to preventive medications before physical activity	-	-	3	83.9	78.7 - 88.0	174	65.0	58.2 - 71.3	123	76.4	72.4 - 80.0	300

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. More than once per year	-	-	3	1.1	0.3 - 3.6	177	0.8	0.2 - 4.3	125	1.0	0.4 - 2.6	305
b. Once per year	-	-	3	27.1	22.1 - 32.8	177	22.5	16.8 - 29.3	125	25.0	21.2 - 29.2	305
c. Less than once per year	-	-	3	6.2	3.7 - 10.1	177	8.0	4.7 - 13.3	125	6.9	4.7 - 9.8	305
d. No such requirement	-	-	3	65.5	59.6 - 71.1	177	68.8	61.5 - 75.2	125	67.2	62.7 - 71.4	305

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
-	-	3	53.7	47.5 - 59.8	178	61.6	54.7 - 68.1	125	57.3	52.7 - 61.8	306

ARIZONA

2010 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	-	-	3	86.3	79.5 - 91.1	95	88.4	81.5 - 92.9	77	87.4	82.9 - 90.9	175
b. Parents and families	-	-	3	88.1	81.9 - 92.4	93	85.8	78.3 - 91.0	77	87.3	82.8 - 90.8	173

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	-	-	3	19.7	13.5 - 27.8	92	24.5	17.3 - 33.5	73	21.4	16.6 - 27.1	168
b. Principal	-	-	3	7.6	4.1 - 14.0	92	20.4	14.4 - 28.1	73	13.0	9.5 - 17.5	168
c. Assistant principal	-	-	3	1.1	0.2 - 5.8	92	4.1	1.6 - 10.2	73	2.4	1.0 - 5.4	168
d. School nurse	-	-	3	60.5	52.1 - 68.3	92	41.6	34.0 - 49.7	73	52.5	46.7 - 58.2	168
e. Other school faculty or staff member	-	-	3	11.1	6.5 - 18.1	92	9.4	5.0 - 16.8	73	10.8	7.3 - 15.6	168

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	-	-	3	12.5	8.7 - 17.7	176	13.7	9.3 - 19.8	125	12.9	9.9 - 16.6	304
b. Tobacco-use prevention	-	-	3	18.7	14.3 - 24.1	177	20.8	15.0 - 28.1	125	19.7	16.0 - 24.0	305
c. Physical activity	-	-	3	21.6	17.0 - 27.1	177	18.3	13.3 - 24.8	125	20.4	16.9 - 24.5	305
d. Nutrition and healthy eating	-	-	3	26.7	21.6 - 32.5	177	20.8	15.5 - 27.4	125	24.7	20.9 - 29.0	305
e. Asthma	-	-	3	13.6	9.9 - 18.4	177	4.7	2.4 - 9.2	125	10.2	7.7 - 13.4	305

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

A R I Z O N A

2010 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	-	-	3	14.7	10.5 - 20.2	177	23.5	17.9 - 30.2	125	18.4	14.9 - 22.5	305
b. Tobacco-use prevention	-	-	3	23.1	18.1 - 29.0	178	28.9	22.6 - 36.2	125	26.2	22.2 - 30.6	306
c. Physical activity	-	-	3	24.9	20.5 - 29.8	178	20.0	14.6 - 26.8	125	23.7	20.2 - 27.5	306
d. Nutrition and healthy eating	-	-	3	31.6	26.1 - 37.6	178	26.5	20.3 - 33.8	125	30.2	26.0 - 34.7	306
e. Asthma	-	-	3	12.4	8.8 - 17.3	178	9.5	6.4 - 14.0	125	11.8	9.1 - 15.1	306

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations