| Standard | Minimally Proficient | Partially Proficient | Proficient | Highly Proficient | | | |
|----------|--|---------------------------------------|---|--|--|--|--|
| | The Minimally Proficient student | The Partially Proficient student | The Proficient student | The Highly Proficient student | | | |
| | Operations and Algebraic Thinking | | | | | | |
| 5.OA.A.1 | Use parenthesis in numerical | Evaluate numerical expressions with | Use parentheses and brackets in numerical expressions, | Use parentheses and brackets to create | | | |
| | expressions and evaluate numeric | parentheses and brackets. | and evaluate expressions with these symbols (Order of | multiple numerical expressions equivalent to | | | |
| | expressions. | | Operations). | a given value. | | | |
| 5.OA.A.2 | Identify simple expressions that | Write simple expressions that record | Write simple expressions that record calculations with | Write simple expressions that record multi- | | | |
| | record calculations with numbers, and | calculations with numbers, and | numbers, and interpret numerical expressions without | step calculations with numbers, and interpret | | | |
| | identify numerical expressions | identify numerical expressions | evaluating them (e.g., express the calculation "add 8 and | multi-step numerical expressions without | | | |
| | without evaluating them. | without evaluating them. | 7, then multiply by 2" as 2 x (8 + 7). Recognize that 3 x | evaluating them. | | | |
| | | | (18,932 + 921) is three times as large as 18,932 + 921, | | | | |
| | | | without having to calculate the indicated sum or | | | | |
| | | | product). | | | | |
| 5.OA.B.3 | Identify two numerical patterns using | Determine the missing values in two | Generate two numerical patterns using two given rules | Explain how the rules for two numerical | | | |
| | two given rules (e.g., identify terms in | numerical patterns using two given | (e.g., generate terms in the resulting sequences). Identify | patterns relate to the relationships between | | | |
| | the resulting sequences). Identify the | rules (e.g., determine the missing | and explain the apparent relationships between | the corresponding terms in those patterns | | | |
| | apparent relationships between | terms in the resulting sequences). | corresponding terms. Form ordered pairs consisting of | (e.g., given the rule "add 3" and the starting | | | |
| | corresponding terms. Identify ordered | Identify the apparent relationships | corresponding terms from the two patterns, and graph | number 0, and given the rule "add 6" and the | | | |
| | pairs consisting of corresponding | between corresponding terms. | the ordered pairs on a coordinate plane (e.g., given the | starting number 0, observe that the terms in | | | |
| | terms from the two patterns. | Identify ordered pairs consisting of | rule "add 3" and the starting number 0, and given the | one sequence are twice the corresponding | | | |
| | | corresponding terms from the two | rule "add 6" and the starting number 0, generate terms in | terms in the other sequence, and recognize | | | |
| | | patterns, and graph the ordered pairs | the resulting sequences, and observe that the terms in | that "add 3" is twice "add 6"). | | | |
| | | on a coordinate plane. | one sequence are twice the corresponding terms in the | | | | |
| | | | other sequence). | | | | |
| 5.OA.B.4 | Identify prime numbers. | Understand prime numbers have only | Understand primes have only two factors and decompose | Explain how to decompose numbers into | | | |
| | | two factors and identify the prime | numbers into prime factors. | prime factors. | | | |
| | | factorization of numbers. | | | | | |

| | | Number and | Operations in Base Ten | |
|-----------|---|--|--|---|
| 5.NBT.A.1 | Identify which place value in a multi- digit number represents 10 times the value of a given place value, or identify which place value in a multi- digit number represents 1/10 the value of a given place value. | digit in different place values in each number, identify how many times the value of the digit is in one number | o i o | Apply concepts of place value, multiplication, and division to explain why a digit in one place represents ten times what it represents in the place to its right and 1/10 of what it represents in the place to its left. |
| 5.NBT.A.2 | Identify patterns in the number of zeros of the product when multiplying a number by powers of 10, and identify patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. | number by powers of 10, and find | patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. | Given a pattern in the number of zeros of the product when multiplying a number by powers of 10, or a pattern in the placement of the decimal point when multiplying or dividing a number by a power of 10, create a possible equation that represents the pattern and explain why there are multiple correct equations. |
| 5.NBT.A.3 | Read and write, decimals to tenths. a. Identify decimals to tenths using base-ten numerals and number names. b. Compare two decimals to tenths based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons. | hundredths. a. Identify decimals to hundredths using base-ten numerals, number | Read, write, and compare decimals to thousandths. a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form. b. Compare two decimals to thousandths based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons. | Read, write, and compare decimals to thousandths. a. Order multiple decimals to thousandths using base-ten numerals, number names, and expanded form. b. Compare more than two decimals to thousandths based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons. |
| 5.NBT.A.4 | Use place value understanding to round decimals to the tenths place. | Use place value understanding to round decimals to the hundredths place. | Use place value understanding to round decimals to any place. | Explain how to use place value understanding to round decimals to any place. |
| 5.NBT.B.5 | Identify the product of two multi-digit whole numbers. | Calculate the product of two multi- digit whole numbers. | Fluently multiply multi-digit whole numbers using a standard algorithm. | Explain how to use a standard algorithm to multiply multi-digit whole numbers. |
| 5.NBT.B.6 | Apply understanding of division to identify whole-number quotients of whole numbers with up to three-digit dividends and two-digit divisors. | Apply understanding of division to identify whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors. | Apply and extend understanding of division to find whole- number quotients of whole numbers with up to four-digit dividends and two-digit divisors. | |
| 5.NBT.B.7 | Add and subtract decimals (without regrouping) to hundredths, connecting objects or drawings to strategies based on place value, properties of operations, and/or the relationship between operations. | | based on place value, properties of operations, and/or | Add, subtract, multiply, and divide decimals to hundredths. Relate the strategy to a written form. Apply this to real-world context. |

| | | Number an | d Operations - Fractions | |
|----------|---|--|--|--|
| 5.NF.A.1 | fractions with unlike denominators. | Identify the sum or difference of fractions with unlike denominators (including mixed numbers). | Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators (e.g., $2/3 + 5/4 = 8/12 + 15/12 = 23/12$). | Explain how to find the sum or difference of fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. |
| 5.NF.A.2 | involving addition and subtraction of fractions referring to the same whole, by using visual models to represent the problem. Use benchmark fractions and number sense of fractions to identify an estimate. | involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators by using a variety of representations, equations, and visual models to represent the problem. Use benchmark fractions and number | Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators by using a variety of representations, equations, and visual models to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers (e.g., recognize an incorrect result 2/5 + 1/2 = 3/7, by observing that 3/7 < 1/2). | Create word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators. Explain how to estimate mentally and assess the reasonableness of answers. |
| 5.NF.B.3 | dividing the whole number numerator by the whole number denominator. Identify the solution to word problems involving division of whole numbers leading to answers in the form of fractions. | numerator by the whole number denominator. Identify the solution to word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers. | Interpret a fraction as the number that results from dividing the whole number numerator by the whole number denominator ($a/b = a \div b$). Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers. For example, interpret 3/4 as the result of dividing 3 by 4, noting that 3/4 multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people, each person has a share of size 3/4. If 9 people want to share a 50- pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie? | Explain the meaning of a fraction as the number that results from dividing the whole number numerator by the whole number denominator, and why multiplying a fraction by the denominator results in the numerator. Create word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers. |

| 5.NF.B.4 | Apply and extend providers | Apply and extend providure | Apply and extend proving understandings of | Apply and optional province understandings of |
|----------|--|---|---|--|
| 5.NF.B.4 | Apply and extend previous | Apply and extend previous | Apply and extend previous understandings of | Apply and extend previous understandings of |
| | understandings of multiplication to | understandings of multiplication to | multiplication to multiply a fraction by a whole number | multiplication to multiply a fraction by a |
| | | | and a fraction by a fraction. | whole number and a fraction by a fraction. |
| | and a fraction by a fraction. | and a fraction by a fraction. | | |
| | | | a. Interpret the product $(a/b) \times q$ as a parts of a partition | |
| | | a. Identify the product $(a/b) \times q$ as a | of q into b equal parts. For example, use a visual fraction | |
| | | parts of a partition of q into b equal | model to show $(2/3) \times 4 = 8/3$, and create a story context | and create a word problem for an equation |
| | parts using a visual fraction model. | parts. | for this equation. | given in the form $(a / b) \ge q$. |
| | b. Identify the product of a fraction | b. Identify the product of a fraction | b. Interpret the product of a fraction multiplied by a | b. Explain why the product of a fraction |
| | | multiplied by a fraction $(a/b) \times (c/d)$ | fraction $(a/b) \times (c/d)$. Use a visual fraction model and | multiplied by a fraction $(a/b) \times (c/d)$ is the |
| | as (<i>ac /bd</i>) using a visual fraction | as <i>ac /bd</i> . Identify the correct story | | product of the numerators divided by the |
| | model. | context for a given equation in the | a visual fraction model to show $(2/3) \times (4/5) = 8/15$, and | product of the denominators <i>ac /bd</i> . Create |
| | | form $(a/b) \times (c/d) = ac/bd$. | create a story context for this equation. In general, (a/b) | a story context for an given equation in the |
| | c. Identify the area of a rectangle with | | x (c/d) = ac/bd. | form $(a/b) \times (c/d) = ac/bd$. |
| | | c. Find the area of a rectangle with | | |
| | _ | fractional side lengths that has been | c. Find the area of a rectangle with fractional side lengths | c. Given a rectangle with fractional side |
| | | tiled with unit squares of the | by tiling it with unit squares of the appropriate unit | lengths, explain how tiling the rectangle with |
| | | • | | |
| | | appropriate unit fraction side lengths. | fraction side lengths, and show that the area is the same | unit squares of the appropriate fractional side |
| | lengths to find areas of rectangles. | Identify the product of fractional side | as would be found by multiplying the side lengths. | lengths and calculating the sum of area of |
| | | lengths to find areas of rectangles. | Multiply fractional side lengths to find areas of | those tiles is the same as multiplying the side |
| | | Recognize that fraction products are | rectangles, and represent fraction products as | lengths of the rectangle. Explain the |
| | | rectangular areas. | rectangular areas. | connection between the product of two |
| | | | | fractions and the area of a rectangle with side |
| | | | | lengths equal to those fractions. |
| 5.NF.B.5 | Interpret multiplication as scaling | Interpret multiplication as scaling | Interpret multiplication as scaling (resizing), by: | Interpret multiplication as scaling (resizing), |
| | (resizing), by: | (resizing), by: | | by: |
| | | | a. Comparing the size of a product to the size of one | |
| | a. Identifying how the size of the | a. Identifying how the size of the | factor on the basis of the size of the other factor, without | a. Explaining how the size of a product |
| | product relates to the size of one | product relates to the size of one | performing the indicated multiplication. | compares to the size of one factor on the |
| | factor on the basis of the size of the | factor on the basis of the size of the | | basis of the size of the other factor. |
| | other factor, without performing the | other factor, without performing the | b. Explaining why multiplying a given number by a | |
| | indicated multiplication, given a visual | | fraction greater than 1 results in a product greater than | b. Demonstrating how multiplying a given |
| | model. | model. | the given number; explaining why multiplying a given | number by a fraction greater than 1 results in |
| | | | number by a fraction less than 1 results in a product | a product greater than the given number; |
| | b. Identifying that multiplying a given | b. Identifying that multiplying a given | smaller than the given number; and relating the principle | |
| | number by a fraction greater than 1 | number by a fraction greater than 1 | | number by a fraction less than 1 results in a |
| | results in a product greater than the | results in a product greater than the | of multiplying a/b by 1. | product smaller than the given number; and |
| | | given number; identifying that | | demonstrating how the principle of fraction |
| | multiplying a given number by a | multiplying a given number by a | | equivalence $a/b = (n \times a)/(n \times b)$ relates to |
| | fraction less than 1 results in a | fraction less than 1 results in a | | the effect of multiplying a/b by 1. |
| | | product smaller than the given | | |
| | number. | number; and identifying that | | |
| | | multiplying a given fraction by a | | |
| | | fraction equal to 1 results in an | | |
| | | equivalent fraction. | | |
| | 1 | | | |

| 5.NF.B.6 | Identify the solutions to problems in | Identify the solutions to problems in | Solve problems in real-world contexts involving | Create problems in real-world contexts |
|----------|--|--|---|--|
| | real-world contexts involving | real-world contexts involving | | involving multiplication of fractions, including |
| | multiplication of fractions, by using | multiplication of fractions, by using a | using a variety of representations including equations and | mixed numbers, given a representation such |
| | visual models. | variety of representations including | models. | as an equation or a model. |
| | | equations and models. | | |
| 5.NF.B.7 | Apply and extend previous | Apply and extend previous | Apply and extend previous understandings of division to | Apply and extend previous understandings of |
| | understandings of division to divide | understandings of division to divide | divide unit fractions by whole numbers and whole | division to divide unit fractions by whole |
| | unit fractions by whole numbers and | unit fractions by whole numbers and | numbers by unit fractions. | numbers and whole numbers by unit |
| | whole numbers by unit fractions. | whole numbers by unit fractions. | | fractions. |
| | | | a. Interpret division of a unit fraction by a non-zero whole | |
| | a. Identify the quotient of a unit | a. Compute the quotient of a unit | number, and compute such quotients. Use the | a. Use the relationship between |
| | fraction by a non-zero whole number. | fraction by a non-zero whole number. | relationship between multiplication and division to justify | multiplication and division to explain how to |
| | | | conclusions. | divide a unit fraction by a non-zero whole |
| | b. Identify the quotient of a whole | b. Compute the quotient of a whole | | number. |
| | number by a unit fraction. | number by a unit fraction. | b. Interpret division of a whole number by a unit fraction, | |
| | | | and compute such quotients. For example, create a story | b. Use the relationship between |
| | c. Identify the solutions to problems in | c. Identify the solutions to problems in | context for 4 ÷ (1/5), and use a visual fraction model to | multiplication and division to explain how to |
| | real-world context involving division | real-world context involving division | show the quotient. Use the relationship between | divide a whole number by a unit fraction. |
| | of unit fractions by non-zero whole | of unit fractions by non-zero whole | multiplication and division to justify conclusions (e.g., 4 ÷ | |
| | numbers and division of whole | numbers and division of whole | (1/5) = 20 because 20 x (1/5) = 4). | c. Create problems in real-world context |
| | numbers by unit fractions, using visual | numbers by unit fractions, using a | | involving division of unit fractions by non- |
| | models. | variety of representations. | c. Solve problems in real-world context involving division | zero whole numbers and division of whole |
| | | | of unit fractions by non-zero whole numbers and division | numbers by unit fractions. |
| | | | of whole numbers by unit fractions, using a variety of | |
| | | | representations. | |
| | | | | |
| | | | | |

| | | Meas | urement and Data | |
|----------|---|--|---|--|
| 5.MD.A.1 | Identify equivalent, different-sized | Convert among different-sized | Convert among different-sized standard measurement | Create multi-step, real-world problems that |
| | standard measurement units within a | standard measurement units within a | units within a given measurement system, and use these | require converting among different-sized |
| | given measurement system, and use | given measurement system, and use | conversions in solving multi-step, real-world problems. | standard measurement units within a given |
| | these conversions in solving one-step, | these conversions in solving two-step, | | measurement system. |
| | real-world problems. | real-world problems. | | |
| 5.MD.B.2 | Identify a line plot that displays a data | Make a line plot to display a data set | Make a line plot to display a data set of measurements in | Make a line plot to display a data set of |
| | set of measurements in fractions of a | of measurements in fractions of a unit | fractions of a unit (1/8, 1/2, 3/4). Use operations on | measurements in fractions of a unit. Use |
| | unit (1/2, 1/4). Use operations on | (1/2, 1/4). Use operations on fractions | fractions for this grade to solve problems involving | operations on fractions for this grade to solve |
| | fractions for this grade to identify | for this grade to solve one- or two- | information presented in line plots. For example, given | multi-step problems involving information |
| | solutions to one-step problems | step problems involving information | different measurements of liquid in identical beakers, find | presented in line plots. |
| | involving information presented in | presented in line plots. | the amount of liquid each beaker would contain if the | |
| | line plots. | | total amount in all the beakers were redistributed | |
| | | | equally. | |
| 5.MD.C.3 | Recognize volume as an attribute of | Recognize volume as an attribute of | Recognize volume as an attribute of solid figures and | Recognize volume as an attribute of solid |
| | solid figures and understand concepts | solid figures and understand concepts | understand concepts of volume measurement. | figures and understand concepts of volume |
| | of volume measurement. | of volume measurement. | | measurement. |
| | | | a. A cube with side length 1 unit, called a "unit cube," is | |
| | a. Identify a "unit cube," and know | a. Define a "unit cube" and "one cubic | said to have "one cubic unit" of volume, and can be used | a. Explain why a cube with side length 1 unit, |
| | that it can be used to measure | unit." | to measure volume. | called a "unit cube," and why it is said to have |
| | volume. | | | "one cubic unit" of volume. |
| | | b. Identify that a solid figure which | b. A solid figure which can be packed without gaps or | |
| | b. Match the number of unit cubes it | can be packed without gaps or | overlaps using n unit cubes is said to have a volume of n | b. Explain why a solid figure which can be |
| | takes to pack a solid figure without | overlaps using <i>n</i> unit cubes, and thus | cubic units. | packed without gaps or overlaps using n unit |
| | gaps or overlaps to the volume of the | has a volume of <i>n</i> cubic units. | | cubes is said to have a volume of <i>n</i> cubic |
| | figure. | | | units. |
| 5.MD.C.4 | Identify volumes by counting unit | Measure volumes by counting unit | Measure volumes by counting unit cubes, using cubic cm, | Look for patterns in measuring volumes of |
| | cubes. | cubes. | cubic in, cubic ft, and improvised units. | prisms by counting unit cubes. Fluently use |
| | | | | cubic cm, cubic in, cubic ft, and improvised |
| | | | | units. |

| 5.MD.C.5 | Relate volume to the operations of | Relate volume to the operations of | Relate volume to the operations of multiplication and | Relate volume to the operations of |
|----------|---|---|--|---|
| | multiplication and addition and solve | multiplication and addition and solve | addition and solve mathematical problems and problems | multiplication and addition and solve |
| | mathematical problems and problems | mathematical problems and problems | in real-world contexts involving volume. | mathematical problems and problems in real- |
| | in real-world contexts involving | in real-world contexts involving | | world contexts involving volume. |
| | volume. | volume. | a. Find the volume of a right rectangular prism with | |
| | | a. Find the volume of a right | whole-number side lengths by packing it with unit cubes, | a. Explain why the volume of a right |
| | a. Identify the volume of a right | rectangular prism with whole-number | and show that the volume is the same as would be found | rectangular prism can be calculated by |
| | rectangular prism with whole-number | side lengths by packing it with unit | by multiplying the edge lengths, equivalently by | multiplying the edge lengths, and explain why |
| | side lengths by packing it with unit | cubes, or by multiplying the edge | multiplying the height by the area of the base. Represent | this is equivalent to multiplying the height by |
| | cubes, or by multiplying the edge | lengths, equivalently by multiplying | threefold whole-number products as volumes (e.g., to | the area of the base. Represent threefold |
| | lengths. | the height by the area of the base. | represent the associative property of multiplication). | whole-number products as volumes (e.g., to |
| | | b. Understand and use the formulas V | | represent the associative property of |
| | b. Understand and use the formula V | , | b. Understand and use the formulas $V = I \times w \times h$ and V | multiplication). |
| | = $I \times w \times h$ for rectangular prisms to | this case B is the area of the base $(B =$ | $= B \times h$, where in this case B is the area of the base (B = | |
| | identify volumes of right rectangular | <pre>/ x w), for rectangular prisms to</pre> | <pre>/ x w), for rectangular prisms to find volumes of right</pre> | b. Create problems in real-world contexts |
| | prisms with whole-number edge | identify volumes of right rectangular | rectangular prisms with whole-number edge lengths to | that require understanding and using the |
| | lengths. | prisms with whole-number edge | solve mathematical problems and problems in real-world | formulas $V = I \times w \times h$ and $V = B \times h$. |
| | | lengths to solve mathematical | contexts. | |
| | c. Understand volume as additive. | problems. | | c. Understand volume as additive. Find |
| | Identify volumes of solid figures | c. Understand volume as additive. | c. Understand volume as additive. Find volumes of solid | volumes of solid figures composed of more |
| | composed of two non-overlapping | Find volumes of solid figures | figures composed of two non-overlapping right | than two non-overlapping right rectangular |
| | right rectangular prisms. | composed of two non-overlapping | rectangular prisms, applying this technique to solve | prisms, applying this technique to solve |
| | | right rectangular prisms, applying this | mathematical problems and problems in real-world | mathematical problems and problems in real- |
| | | technique to solve mathematical | contexts. | world contexts. |
| | | problems. | | |

| | | | Geometry | |
|---------|---|--|--|---|
| 5.G.A.1 | Identify the axes and the origin (0, 0) | Describe a coordinate system as | Understand and describe a coordinate system as | Understand and describe a coordinate |
| | of a coordinate system. Identify the x - | having 2 axes that intersect at the | perpendicular number lines, called axes, that intersect at | system. Identify points in the coordinate |
| | and y- coordinates of an ordered pair. | origin (0 , 0). Identify an ordered pair | the origin (0 , 0). Identify a given point in the first | plane using coordinates. Explain that the <i>x</i> - |
| | | and the x - and y -coordinates of an | quadrant of the coordinate plane using an ordered pair of | coordinate indicates the distance traveled on |
| | | ordered pair. | numbers, called coordinates. Understand that the first | the horizontal axis, and the y-coordinate |
| | | | number (x) indicates the distance traveled on the | indicates the distance traveled on the vertical |
| | | | horizontal axis, and the second number (y) indicates the distance traveled on the vertical axis. | axis. |
| 5.G.A.2 | Identify points graphed in the first quadrant of the coordinate plane. | the coordinate plane, and identify the | Represent real-world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation. | Create real-world and mathematical problems that can be solved by graphing points in the first quadrant of the coordinate plane. Explain the meaning of the coordinate values of points in the context of the situation. |
| 5.G.B.3 | Identify attributes belonging to a category of two-dimensional figures. | a category of two-dimensional figures | Understand that attributes belonging to a category of two dimensional figures also belong to all subcategories of that category. | Explain why attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. |
| 5.G.B.4 | Identify two-dimensional figures based on properties limited to sides and angles. | | Classify two-dimensional figures in a hierarchy based on properties. | Draw or construct two-dimensional figures based on properties or classifications. |